



SR.	DESCRIPTION	PAGE NO
1	Ambient air Quality Monitoring Report	02
2	Noise Monitoring Report	03
3	Analysis Report of Ground Water	04-07
4	Analysis Report of Surface Water	08-09
5	Analysis Report of Hydro flow back water	10
5	Analysis Report of Effluent Water	11-12
6	Analysis Report of Drilling cuttings	13

Name & Address of the Customer : M/s Prabha Energy Pvt. Ltd, 4th Floor, Rishabh Complex, Opposite to gate No. 4 Ashok Nagar (Above Bank of India), Ranchi, Jharkhand-834002 Sample Particulars: Ambient Air Quality	Test Report No.: NIL /PEPL/21-22/AAQ-1	
	Issue Date : 18.08.2021 Your Ref : LOA Dt.13.11.2019	
Test Method : IS:5182 & CPCB Guidelines Test Required : As given below	Date of Registration	10.08.2021
	Date of commencement of testing	10.08.2021
	Date of completion of testing	17.08.2021
	Sample condition at receipt	Found ok
Sampling Method: Sample collected by our representative on 09-08-2021		

S. No	Parameter	Unit	Result			CPCB Limit
			NK#6	NK#19	NK#24	
1	PM10	µg/m ³	91	78	72	100(24hr)
2	PM2.5	µg/m ³	54	42	38	60(24hr)
3	Sulphur Dioxide	µg/m ³	48.5	38.0	35.5	80(24hr)
4	Nitrogen Dioxide	µg/m ³	52.6	41.6	40.2	80(24hr)
5	Ozone	µg/m ³	28.6	27.5	22.0	100(8hr)
6	Lead	µg/m ³	ND	ND	ND	1(24hr)
7	Carbon Monoxide	mg/m ³	0.42	0.21	0.18	2(1hr)
8	Ammonia	µg/m ³	29.6	21.0	20.8	400(24hr)
9	Benzene	µg/m ³	ND	ND	ND	05(1yr)
10	Benzo(a)Pyrene	ng/m ³	ND	ND	ND	01(1yr)
11	Arsenic	ng/m ³	ND	ND	ND	06(1hr)
12	Nickel	ng/m ³	ND	ND	ND	20(1hr)

For Netel India Limited




Name & Address of the Customer : M/s Prabha Energy Pvt. Ltd, 4th Floor, Rishabh Complex, Opposite to gate No. 4 Ashok Nagar (Above Bank of India), Ranchi, Jharkhand-834002 Sample Particulars: Noise Monitoring	Test Report No.: NIL /PEPL/21-22/Noise-1 Issue Date : 18.08.2021 Your Ref : LOA Dt.13.11.2019	
	Test Method : IS 9876:1981 & User Manual Test Required : As given below	Date of Registration Date of commencement of testing Date of completion of testing Sample condition at receipt
Sampling Method: Sample collected by our representative on 09-08-2021		

NOISE MONITORING REPORT

Location	Unit	Result	
		Day Time	Night Time
CPCB Standard Limit	dB(A)	75	70
NK # 5	dB(A)	38.6	32.5
NK # 6	dB(A)	41.2	35.9
NK # 30	dB(A)	32.5	28.6
NK # 36	dB(A)	30.9	26.5
NK # 54	dB(A)	33.7	29.0

For Netel India Limited






Name & Address of the Customer : M/s Prabha Energy Pvt. Ltd, 4th Floor, Rishabh Complex, Opposite to gate No. 4 Ashok Nagar (Above Bank of India), Ranchi, Jharkhand-834002 Sample Particulars: Ground water	Test Report No.: NIL/PEPL/21-22/GW-1 Issue Date : 18.08.2021 Your Ref : LOA Dt.13.11.2019.										
Qty : 1No. × 1 Litre each Test Method : IS:3025 & APHA 23 rd Edition Packing : Plastic Bottle Test Required : As given below	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 80%;">Date of Registration</td> <td>10.08.2021</td> </tr> <tr> <td>Date of commencement of testing</td> <td>10.08.2021</td> </tr> <tr> <td>Date of completion of testing</td> <td>17.08.2021</td> </tr> <tr> <td>Sample condition at receipt</td> <td>Found ok</td> </tr> <tr> <td colspan="2">Sample tested as received</td> </tr> </table>	Date of Registration	10.08.2021	Date of commencement of testing	10.08.2021	Date of completion of testing	17.08.2021	Sample condition at receipt	Found ok	Sample tested as received	
Date of Registration	10.08.2021										
Date of commencement of testing	10.08.2021										
Date of completion of testing	17.08.2021										
Sample condition at receipt	Found ok										
Sample tested as received											
Sampling Method: Sample collected by our representative on 09.08.2021											
Page: 1 of 4											

S. No.	PARAMETER	UNIT	NK#5	NK#6	NK#21	Acceptable Limit as per IS:10500;2012
1	pH	-----	7.4	7.2	7.5	6.5-8.5
2	Temperature	°C	31	30.5	31.2	-
3	Colour	Hazen	<1.0	<1.0	<1.0	5(max)
3	Total suspended solids	mg/l	02	02	03	-
4	Total solids	mg/l	314	321	327	-
5	Total Dissolved solids	mg/l	312	319	324	500 (max.)
6	Conductivity	µsm/cm	450	455	458	
7	Dissolved Oxygen	mg/l	6.0	6.3	6.2	-
8	Zinc as Zn	mg/l	1.2	1.6	1.5	5(max.)
9	Iron as Fe	mg/l	0.11	0.13	0.11	0.3(max)
10	BOD (3 days @ 27°C)	mg/l	1.5	1.0	1.0	-
11	COD	mg/l	6.0	4.5	4.5	-
12	Chloride as Cl	mg/l	82.5	85.0	86.5	250(max.)
13	Sulphate as SO ₄	mg/l	25.6	28.5	30.2	200(max.)
14	Total Hardness	mg/l	128	130	135	200(max.)
15	Calcium as Ca	mg/l	44.5	47.0	48.0	75(max.)
16	Magnesium as Mg	mg/l	26.8	30.5	32.5	30(max.)
17	Sodium as Na	mg/l	0.3	0.5	0.6	-
18	Oil and Grease	mg/l	ND	ND	ND	-
19	Phenolic compounds as C ₆ H ₅ OH	mg/l	ND	ND	ND	0.001(max.)
20	Cyanide as CN	mg/l	ND	ND	ND	0.05(Max)



21	Fluoride as F	mg/l	0.02	0.03	0.02	1(max.)
22	Sulphide as H ₂ S	mg/l	ND	ND	ND	0.05(max.)
23	Chromium as Cr	mg/l	ND	ND	ND	-
24	Hexavalent Chromium as Cr ⁺⁶	mg/l	ND	ND	ND	0.05(max.)
25	Copper as Cu	mg/l	ND	ND	ND	0.05(max.)
26	Lead as Pb	mg/l	ND	ND	ND	0.01(max.)
27	Mercury as Hg	mg/l	ND	ND	ND	0.001(max.)
28	Nickel as Ni	mg/l	ND	ND	ND	0.02(max.)
29	Arsenic as As	mg/l	ND	ND	ND	0.01(max)
30	Manganese as Mn	mg/l	ND	ND	ND	0.1(max)
31	Vanadium as V	mg/l	ND	ND	ND	-

ND: Not Detected

For Netel India Limited



Name & Address of the Customer : M/s Prabha Energy Pvt. Ltd, 4th Floor, Rishabh Complex, Opposite to gate No. 4 Ashok Nagar (Above Bank of India), Ranchi, Jharkhand-834002 Sample Particulars: Ground water	Test Report No.: NIL/PEPL/21-22/GW-1 Issue Date : 18.08.2021 Your Ref : LOA Dt.13.11.2019.										
Qty : 1No. × 1Litre each Test Method : IS:3025 & APHA 23 rd Edition Packing : Plastic Bottle Test Required : As given below	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 80%;">Date of Registration</td> <td>10.08.2021</td> </tr> <tr> <td>Date of commencement of testing</td> <td>10.08.2021</td> </tr> <tr> <td>Date of completion of testing</td> <td>17.08.2021</td> </tr> <tr> <td>Sample condition at receipt</td> <td>Found ok</td> </tr> <tr> <td colspan="2">Sample tested as received</td> </tr> </table>	Date of Registration	10.08.2021	Date of commencement of testing	10.08.2021	Date of completion of testing	17.08.2021	Sample condition at receipt	Found ok	Sample tested as received	
Date of Registration	10.08.2021										
Date of commencement of testing	10.08.2021										
Date of completion of testing	17.08.2021										
Sample condition at receipt	Found ok										
Sample tested as received											
Sampling Method: Sample collected by our representative on 09.08.2021 Page: 3 of 4											

S. No.	PARAMETER	UNIT	NK#30	NK#54	Acceptable Limit as per IS:10500;2012
1	pH	-----	7.2	7.4	6.5-8.5
2	Temperature	°C	31.2	30.4	-
3	Colour	Hazen	<1.0	<1.0	5(max)
3	Total suspended solids	mg/l	02	02	-
4	Total solids	mg/l	328	387	-
5	Total Dissolved solids	mg/l	326	385	500 (max.)
6	Conductivity	µsm/cm	472	480	
7	Dissolved Oxygen	mg/l	6.2	6.4	-
8	Zinc as Zn	mg/l	2.5	2.3	5(max.)
9	Iron as Fe	mg/l	0.11	0.14	0.3(max)
10	BOD (3 days @ 27°C)	mg/l	1.0	1.0	-
11	COD	mg/l	5.0	5.0	-
12	Chloride as Cl	mg/l	87.6	90.5	250(max.)
13	Sulphate as SO ₄	mg/l	28.5	34.5	200(max.)
14	Total Hardness	mg/l	128	130	200(max.)
15	Calcium as Ca	mg/l	42.5	45.0	75(max.)
16	Magnesium as Mg	mg/l	25.5	30.0	30(max.)
17	Sodium as Na	mg/l	0.5	0.6	-
18	Oil and Grease	mg/l	ND	ND	-
19	Phenolic compounds as C ₆ H ₅ OH	mg/l	ND	ND	0.001(max.)

20	Cyanide as CN	mg/l	ND	ND	0.05(Max)
21	Fluoride as F	mg/l	0.01	0.02	1(max.)
22	Sulphide as H ₂ S	mg/l	ND	ND	0.05(max.)
23	Chromium as Cr	mg/l	ND	ND	-
24	Hexavalent Chromium as Cr ⁺⁶	mg/l	ND	ND	0.05(max.)
25	Copper as Cu	mg/l	ND	ND	0.05(max.)
26	Lead as Pb	mg/l	ND	ND	0.01(max.)
27	Mercury as Hg	mg/l	ND	ND	0.001(max.)
28	Nickel as Ni	mg/l	ND	ND	0.02(max.)
29	Arsenic as As	mg/l	ND	ND	0.01(max)
30	Manganese as Mn	mg/l	ND	ND	0.1(max)
31	Vanadium as V	mg/l	ND	ND	-

For Netel India Limited






Name & Address of the Customer : M/s Prabha Energy Pvt. Ltd, 4th Floor, Rishabh Complex, Opposite to gate No. 4 Ashok Nagar (Above Bank of India), Ranchi, Jharkhand-834002 Sample Particulars: Surface water	Test Report No.: NIL/PEPL/21-22/SW-1 Issue Date : 18.08.2021 Your Ref : LOA Dt.13.11.2019										
Qty : 1No. × 1Litre each Test Method : IS:3025 & APHA 23 rd Edition Packing : Plastic Bottle Test Required : As given below	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 80%;">Date of Registration</td> <td>10.08.2021</td> </tr> <tr> <td>Date of commencement of testing</td> <td>10.08.2021</td> </tr> <tr> <td>Date of completion of testing</td> <td>17.08.2021</td> </tr> <tr> <td>Sample condition at receipt</td> <td>Found ok</td> </tr> <tr> <td colspan="2">Sample tested as received</td> </tr> </table>	Date of Registration	10.08.2021	Date of commencement of testing	10.08.2021	Date of completion of testing	17.08.2021	Sample condition at receipt	Found ok	Sample tested as received	
Date of Registration	10.08.2021										
Date of commencement of testing	10.08.2021										
Date of completion of testing	17.08.2021										
Sample condition at receipt	Found ok										
Sample tested as received											
Sampling Method: Sample collected by our representative on 09.08.2021											
Page: 1 of 2											

S. No.	PARAMETER	UNIT	NK#6	NK#19	NK#30	NK#36	NK#54
1	pH	-----	7.6	7.8	8.2	7.6	7.9
2	Temperature	°C	28.2	26.5	28.3	27.6	28.5
3	Colour	Hazen	2.6	1.9	2.8	2.5	3.0
4	Total Suspended solids	mg/l	12	14	11	15	10
5	Total Dissolved solids	mg/l	286	305	284	312	280
6	Conductivity	µsm/cm	405	412	402	421	394
7	Residual free Chlorine	mg/l	0.19	0.20	0.21	0.16	0.15
8	Zinc as Zn	mg/l	1.9	1.6	2.4	2.1	2.5
9	Iron as Fe	mg/l	0.21	0.24	0.18	0.16	0.15
10	BOD (3days @ 27°C)	mg/l	10.5	12.6	11.5	10.3	12.4
11	COD	mg/l	33.5	35.5	33.0	30.5	34.5
12	Chloride as Cl	mg/l	78.5	82.6	75.5	85.5	75.8
13	Sulphate as SO ₄	mg/l	37.5	39.2	34.5	42.5	33.9
14	Calcium as Ca	mg/l	54.5	42.0	40.8	35.0	38.5
15	Magnesium as Mg	mg/l	32.6	33.5	30.0	34.5	35.2
16	M-Alkalinity	mg/l	189	194	183	180	186
17	P-Alkalinity	mg/l	NIL	NIL	NIL	NIL	NIL
18	Sodium as Na	mg/l	22.4	19.5	17.8	18.4	20.6
19	Sodium Absorption Ratio	-	0.4	0.5	0.4	0.6	0.4
20	Total Kjeldahl Nitrogen	mg/l	4.2	3.9	3.6	3.8	3.1

21	Oil and Grease	mg/l	ND	ND	ND	ND	ND
22	Cyanide as CN	mg/l	ND	ND	ND	ND	ND
23	Chromium as Cr	mg/l	ND	ND	ND	ND	ND
24	Hexavalent Chromium as Cr ⁺⁶	mg/l	ND	ND	ND	ND	ND
25	Lead as Pb	mg/l	ND	ND	ND	ND	ND
26	Mercury as Hg	mg/l	ND	ND	ND	ND	ND
27	Nickel as Ni	mg/l	ND	ND	ND	ND	ND
28	Cadmium as Cd	mg/l	ND	ND	ND	ND	ND
29	Vanadium as V	mg/l	ND	ND	ND	ND	ND
30	Arsenic as As	mg/l	ND	ND	ND	ND	ND

ND: Not Detected

For Netel India Limited



Page 2 of 2

Name & Address of the Customer : M/s Prabha Energy Pvt. Ltd, 4th Floor, Rishabh Complex, Opposite to gate No. 4 Ashok Nagar (Above Bank of India), Ranchi, Jharkhand-834002 Sample Particulars: Hydro fracturing Flow Back Water	Test Report No.: NIL /PEPL/21-22/Effluent-1 Issue Date : 18.08.2021 Your Ref : LOA Dt.13.11.2019	
	Qty : 1No. × 1Litre each Test Method : IS:3025 & APHA 23 rd Edition Packing : Plastic Bottle Test Required : As given below	Date of Registration : 10.08.2021 Date of commencement of testing : 10.08.2021 Date of completion of testing : 17.08.2021 Sample condition at receipt : Found ok
Sampling Method: Sample collected by our representative on 09-08-2021		

S. No.	PARAMETER	UNIT	Result			
			NK#51	NK#54	NK#57	NK#58
1	Total Dissolved solids	mg/l	546	532	569	486
2	Conductivity	µsm/cm	779	752	801	681
3	COD	mg/l	156	182	145	170
3	BOD (3 days @ 27°C)	mg/l	48	58	45	52
4	Free Chlorine	mg/l	0.4	0.8	0.6	0.5
5	Nitrates	mg/l	17.5	18.5	16.8	17.0
6	Ammonical Nitrogen	mg/l	3.2	2.9	3.6	3.8
7	Total silica	mg/l	<0.1	<0.1	<0.1	<0.1
8	Potassium as K	mg/l	0.7	0.5	0.8	0.6
9	Sodium as Na	mg/l	1.5	0.8	1.0	0.5
10	Solvents	mg/l	ND	ND	ND	ND
11	Barium as Ba	mg/l	<0.01	<0.01	<0.01	<0.01
12	Strontium as Sr	mg/l	<0.01	<0.01	<0.01	<0.01
13	Mercury as Hg	mg/l	<0.01	<0.01	<0.01	<0.01
14	Arsenic as As	mg/l	<0.01	<0.01	<0.01	<0.01
15	Lead as Pb	mg/l	<0.01	<0.01	<0.01	<0.01
16	Silver as Ag	mg/l	<0.01	<0.01	<0.01	<0.01

ND: Not Detected

For Netel India Limited




Name & Address of the Customer : M/s Prabha Energy Pvt. Ltd, 4th Floor, Rishabh Complex, Opposite to gate No. 4 Ashok Nagar (Above Bank of India), Ranchi, Jharkhand-834002 Sample Particulars: Effluent water	Test Report No.: NIL/PEPL/21-22/EW-1	
	Issue Date : 18.08.2021 Your Ref : LOA Dt.13.11.2019	
Qty : 1No. × 1Litre each Test Method : IS:3025 & APHA 23 rd Edition Packing : Plastic Bottle Test Required : As given below	Date of Registration	10.08.2021
	Date of commencement of testing	10.08.2021
	Date of completion of testing	17.08.2021
	Sample condition at receipt	Found ok
	Sample tested as received	
Sampling Method: Sample collected by our representative on 09.08.2021		Page: 1 of 2

S. No.	PARAMETER	UNIT	NK#6	NK#19	NK#20	NK#21	CPCB std Limit
1	pH	-----	8.5	8.3	8.4	8.2	5.5-9.0
2	Temperature	°C	42.6	45.2	43.3	42.5	40(max)
3	Total suspended solids	mg/l	18	15	19	16	100(max)
4	Total solids	mg/l	664	689	708	697	-
5	Total Dissolved solids	mg/l	646	674	689	681	2100(max)
6	Zinc as Zn	mg/l	3.9	4.2	4.0	3.1	5.0(max)
7	BOD (3 days @ 27°C)	mg/l	4.5	5.0	7.5	6.5	30(max)
8	COD	mg/l	13.0	16.0	19.5	9.0	100(max)
9	Chloride as Cl	mg/l	139	143	156	150	600(max)
10	Sulphate as SO ₄	mg/l	52	56	62	57	1000(max)
11	Sodium as Na	mg/l	22.3	23.5	21.8	23.2	60(max)
11	Oil and Grease	mg/l	08	06	08	09	10(max)
12	Phenolic compounds as C ₆ H ₅ OH	mg/l	ND	ND	ND	ND	1.2(max)
13	Cyanide as CN	mg/l	ND	ND	ND	ND	0.2(max)
13	Fluoride as F	mg/l	0.12	0.11	0.15	0.17	1.5(max)
14	Sulphide as H ₂ S	mg/l	ND	ND	ND	ND	2.0(max)
15	Chromium as Cr	mg/l	0.02	0.01	0.02	0.01	1.0(max)
16	Hexavalent Chromium as Cr ⁺⁶	mg/l	ND	ND	ND	ND	0.1(max)
17	Copper as Cu	mg/l	ND	ND	ND	ND	0.2(max)
18	Lead as Pb	mg/l	ND	ND	ND	ND	0.1(max)
19	Mercury as Hg	mg/l	ND	ND	ND	ND	0.01(max)
20	Nickel as Ni	mg/l	ND	ND	ND	ND	3.0(max)

ND: Not Detected

For Netel India Limited




Name & Address of the Customer : M/s Prabha Energy Pvt. Ltd, 4th Floor, Rishabh Complex, Opposite to gate No. 4 Ashok Nagar (Above Bank of India), Ranchi, Jharkhand-834002 Sample Particulars: Effluent water	Test Report No.: NIL/PEPL/21-22/EW-1 Issue Date : 18.08.2021 Your Ref : LOA Dt.13.11.2019										
Qty : 1No. × 1Litre each Test Method : IS:3025 & APHA 23 rd Edition Packing : Plastic Bottle Test Required : As given below	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 80%;">Date of Registration</td> <td>10.08.2021</td> </tr> <tr> <td>Date of commencement of testing</td> <td>10.08.2021</td> </tr> <tr> <td>Date of completion of testing</td> <td>17.08.2021</td> </tr> <tr> <td>Sample condition at receipt</td> <td>Found ok</td> </tr> <tr> <td colspan="2">Sample tested as received</td> </tr> </table>	Date of Registration	10.08.2021	Date of commencement of testing	10.08.2021	Date of completion of testing	17.08.2021	Sample condition at receipt	Found ok	Sample tested as received	
Date of Registration	10.08.2021										
Date of commencement of testing	10.08.2021										
Date of completion of testing	17.08.2021										
Sample condition at receipt	Found ok										
Sample tested as received											
Sampling Method: Sample collected by our representative on 09.08.2021											
Page: 2 of 2											

S. No.	PARAMETER	UNIT	NK#24	NK#26	NK#30	CPCB std Limit
1	pH	-----	8.2	8.6	8.3	5.5-9.0
2	Temperature	°C	45.2	44.6	43.8	40(max)
3	Total suspended solids	mg/l	15	18	20	100(max)
4	Total solids	mg/l	657	682	674	-
5	Total Dissolved solids	mg/l	642	664	654	2100(max)
6	Zinc as Zn	mg/l	4.0	4.6	4.3	5.0(max)
7	BOD (3 days @ 27°C)	mg/l	4.8	4.0	5.6	30(max)
8	COD	mg/l	13.2	12.5	16.0	100(max)
9	Chloride as Cl	mg/l	122	135	140	600(max)
10	Sulphate as SO ₄	mg/l	56	53	58	1000(max)
11	Sodium as Na	mg/l	20.6	22.5	21.5	60(max)
11	Oil and Grease	mg/l	15	18	16	10(max)
12	Phenolic compounds as C ₆ H ₅ OH	mg/l	ND	ND	ND	1.2(max)
13	Cyanide as CN	mg/l	ND	ND	ND	0.2(max)
13	Fluoride as F	mg/l	0.16	0.12	0.11	1.5(max)
14	Sulphide as H ₂ S	mg/l	ND	ND	ND	2.0(max)
15	Chromium as Cr	mg/l	0.02	0.02	0.01	1.0(max)
16	Hexavalent Chromium as Cr ⁺⁶	mg/l	ND	ND	ND	0.1(max)
17	Copper as Cu	mg/l	ND	ND	ND	0.2(max)
18	Lead as Pb	mg/l	ND	ND	ND	0.1(max)
19	Mercury as Hg	mg/l	ND	ND	ND	0.01(max)
20	Nickel as Ni	mg/l	ND	ND	ND	3.0(max)

ND: Not Detected

For Netel India Limited




Name & Address of the Customer : M/s Prabha Energy Pvt. Ltd, 4th Floor, Rishabh Complex, Opposite to gate No. 4 Ashok Nagar (Above Bank of India), Ranchi, Jharkhand-834002		Test Report No.: NIL/PEPL/21-22/F-1	
		Issue Date	: 18.08.2021
		Your Ref	: LOA Dt.13.11.2019
Sample Particulars: Drilling Cuttings			
Qty	: 1No. × 200g each	Date of Registration	10.08.2021
Test Method	: IBM Manual /ICPOES	Date of commencement of testing	10.08.2021
Packing	: Plastic Bottle	Date of completion of testing	17.08.2021
Test Required	: As given below	Sample condition at receipt	Found ok
		Sample tested as received	
Sampling Method: Sample collected by our representative on 09.08.2021			

S.No	Paramter	Unit	Result				
			NK#43	NK#50	NK#53	NK#54	NK#58
1	Chromium as Cr	% by mass	0.007	0.005	0.002	0.012	0.013
2	Copper as Cu	% by mass	0.004	0.003	0.006	0.005	0.003
3	Lead as Pb	% by mass	0.003	0.002	0.002	0.001	0.001
4	Zinc as Zn	% by mass	0.006	0.004	0.005	0.004	0.004
5	Nickel as Ni	% by mass	0.002	0.004	0.001	0.003	0.002
6	Mercury as Hg	% by mass	ND	ND	ND	ND	ND
7	Iron as Fe	% by mass	2.04	2.09	1.17	2.10	1.62
8	Oil & Grease	% by mass	0.002	0.016	0.008	0.005	0.018
9	Cyanide as CN	% by mass	ND	ND	ND	ND	ND
10	Fluoride as F	% by mass	ND	ND	ND	ND	ND

ND: Not Detected

For Netel India Limited


